



VPAT™

Voluntary Product Accessibility Template®

Version 1.2

Sharp MX-M654/M754N
Compliant with minor exceptions

Date: January 22, 2015

Name of Products: MX-M654N, MX-M754N

Contact for more Information: VPAT Support Team (VPAT_Support_Team@sharpusa.com)

The purpose of the **Voluntary Product Accessibility Template**, or **VPAT™**, is to assist Federal contracting officials and other buyers in making preliminary assessments regarding the availability of commercial “Electronic and Information Technology” products and services with features that support accessibility. It is assumed and recommended that offerers will provide additional contact information to facilitate more detailed inquiries.

The first table of the Template provides a summary view of the Section 508 Standards. The subsequent tables provide more detailed views of each subsection. There are three columns in each table. Column one of the Summary Table describes the subsections of subparts B and C of the Standards. The second column describes the supporting features of the product or refers you to the corresponding detailed table, e.g., “equivalent facilitation.” The third column contains any additional remarks and explanations regarding the product. In the subsequent tables, the first column contains the lettered paragraphs of the subsections. The second column describes the supporting features of the product with regard to that paragraph. The third column contains any additional remarks and explanations regarding the product.

<p align="center">Summary Table VPAT™ Voluntary Product Accessibility Template®</p>		
Criteria	Supporting Features	Remarks and explanations
Section 1194.21	Supports with Limitations	Software Applications and Operating Systems
Section 1194.22	Supports with Limitations	Web-based Internet Information and Applications
Section 1194.23	Not applicable	Telecommunications Products
Section 1194.24	Not applicable	Video and Multi-media Products
Section 1194.25	Supports with Limitations	Self-Contained, Closed Products
Section 1194.26	Not applicable	Desktop and Portable Computers
Section 1194.31	Supports with Limitations	Functional Performance Criteria
Section 1194.41	Supports with Limitations	Information, Documentation and Support

Section 1194.21 Software Applications and Operating Systems – Detail

VPAT™

Voluntary Product Accessibility Template®

Criteria	Supporting Features	Remarks and explanations
<p>(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.</p>	<p>Supports with Limitations</p>	<p>Regarding Sharp imaging (one of the functions of Sharpdesk® document management software), some mouse commands do not have a corresponding keyboard command. Ex. range specification of image data. Regarding Printer Driver, all buttons and links can be selected by using keyboard. Regarding Printer Status Monitor, all buttons and links can be selected by using keyboard.</p>
<p>(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.</p>	<p>Supports</p>	<p>Sharpdesk software runs on Microsoft™ OS and utilities. Printer Driver is not designed to disrupt or disable other functions. Printer Status Monitor is not designed to disrupt or disable other functions.</p>
<p>(c) A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.</p>	<p>Supports with Limitations</p>	<p>Regarding Sharpdesk software, if the focus changes, the target will change in some way. Ex. the frame color will change if a thumbnail is focused. The text will be bold if focused. Regarding Printer Driver, if the focus changes, the target will change in some way. Ex. the frame line will change if an icon button is focused. Regarding Printer Status Monitor, if the focus changes, the target will not change.</p>

Criteria	Supporting Features	Remarks and explanations
<p>(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.</p>	<p>Supports with Limitations</p>	<p>When Sharpdesk software displays image data, text describing the image is also displayed, ex. thumbnails are labeled with the name of each file in Desktop. Regarding Printer Driver, the information conveyed by the image can be available in text. The information conveyed by the image of the MFP cannot be available in text. Regarding Printer Status Monitor, the information conveyed by the image can be available in text. Some icons are explained by Help.</p>
<p>(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.</p>	<p>Supports</p>	<p>If an icon, an indicator, and an element have the same image, each of them has the same meaning in Sharpdesk software. If an icon, an indicator, and an element have the same image, each of them has the same meaning in Printer Driver. If an icon, an indicator, and an element have the same image, each of them has the same meaning in Printer Status Monitor.</p>
<p>(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.</p>	<p>Supports</p>	<p>Sharpdesk software displays text contents using functions of the OS. Printer Driver displays text contents using functions of the OS. Printer Status Monitor displays text contents using functions of the OS.</p>

Criteria	Supporting Features	Remarks and explanations
(g) Applications shall not override user selected contrast and color selections and other individual display attributes.	Supports	Sharpdesk software does not override user selected display attributes. Printer Driver does not override user selected display attributes. Printer Status Monitor does not override user selected display attributes.
(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	Supports	Sharpdesk software does not have animations. Printer Driver does not have animations. Printer Status Monitor does not have animations.
(i) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	Sharpdesk software does not use color coding as the only means of conveying information. Printer Driver does not use color coding as the only means of conveying information. Printer Status Monitor does not use color coding as the only means of conveying information.
(j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	Supports	In Sharpdesk document management software (Sharp imaging), users can select from a variety of color selections. Printer Driver does not have the ability to adjust color and contrast settings. Printer Status Monitor does not have the ability to adjust color and contrast settings.
(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Supports	Sharpdesk software does not flash or blink text contents. Printer Driver is not designed to flash or blink. Printer Status Monitor is not designed to flash or blink.
(l) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Supports	Sharpdesk software does not use electronic forms. Printer Driver does not use electronic forms. Printer Status Monitor does not use electronic forms.

[Return to the top of the page.](#)

Section 1194.22 Web-based Internet information and applications – Detail

VPAT™

Voluntary Product Accessibility Template®

Criteria	Supporting Features	Remarks and explanations
(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Support	For every non-text element, text for screen readers is provided.
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	Not Applicable	No multimedia presentations (video/speech and sound) are used.
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.	Support	The web pages are designed so that all information conveyed with color is also available without color.
(d) Documents shall be organized so they are readable without requiring an associated style sheet.	Support	The documents are organized so that their contents are readable without requiring an associated style sheet.
(e) Redundant text links shall be provided for each active region of a server-side image map.	Not Applicable	No image maps are used.
(f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.	Not Applicable	No image maps are used.
(g) Row and column headers shall be identified for data tables.	Support	Column headers have different tags from cells so that column headers can be distinguished. No row headers are used.
(h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.	Not Applicable	No data tables that have two or more logical levels of row or column headers are used.
(i) Frames shall be titled with text that facilitates frame identification and navigation	Not Applicable	No frames are used.
(j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Not Applicable	No videos are used.
(k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.	Not Applicable	The web pages comply with the provisions of this part.
(l) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive Technology.	Support	The web pages utilizing scripting languages also provide functional text that can be read by Assistive Technology.
(m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).	Not Applicable	No applets, plug-ins and other applications are needed to interpret the web page contents.
(n) When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Support	Using Assistive Technology, all field elements and functionality required for completion and submission of the electronic forms are accessible.
(o) A method shall be provided that permits users to skip	Support	The user interfaces are designed to allow users to

repetitive navigation links.		easily skip the repetitive navigation links.
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not Applicable	No user interfaces that require a timed response from users are provided.

Note to 1194.22: The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

[Return to the top of the page.](#)

Section 1194.23 Telecommunications Products – Detail
VPAT™
Voluntary Product Accessibility Template®

Criteria	Supporting Features	Remarks and explanations
(a) Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.	Not Applicable	
(b) Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non-proprietary standard TTY signal protocols.	Not Applicable	
(c) Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.	Not Applicable	
(d) Voice mail, messaging, auto-attendant, and interactive voice response telecommunications systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.	Not Applicable	
(e) Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs, and for users who cannot see displays.	Not Applicable	
(f) For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.	Not Applicable	
(g) If the telecommunications product allows a user to adjust the receive volume, a function shall be provided to automatically reset the volume to the default level after every use.	Not Applicable	

Criteria	Supporting Features	Remarks and explanations
(h) Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.	Not Applicable	
(i) Interference to hearing technologies (including hearing aids, cochlear implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.	Not Applicable	
(j) Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery.	Not Applicable	
(k)(1) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.	Not Applicable	
(k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum.	Not Applicable	
(k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.	Not Applicable	
(k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.	Not Applicable	

[Return to the top of the page.](#)

Section 1194.24 Video and Multi-media Products – Detail

VPAT™

Voluntary Product Accessibility Template®

Criteria	Supporting Features	Remarks and explanations
<p>a) All analog television displays 13 inches and larger, and computer equipment that includes analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and stand-alone DTV tuners, whether or not they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.</p>	<p>Not Applicable</p>	
<p>(b) Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.</p>	<p>Not Applicable</p>	
<p>(c) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned.</p>	<p>Not Applicable</p>	
<p>(d) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.</p>	<p>Not Applicable</p>	
<p>(e) Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.</p>	<p>Not Applicable</p>	

[Return to the top of the page.](#)

Section 1194.25 Self-Contained, Closed Products – Detail

VPAT™

Voluntary Product Accessibility Template®

Criteria	Supporting Features	Remarks and explanations
<p>(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.</p>	<p>Limited Support</p>	<p>Current Technology provides no equivalent to touch-screen display panels. However, note the following:</p> <p>[For Whole System]</p> <p>(1) Provided end-users with remote operation function to execute their regular jobs from their computers.</p> <p>(2) Frequency of over 2.5KHz isn't used when there is a beeping sound.</p> <p>[For Operation Panel]</p> <p>(3) Provided measures to emit a beeping sound from base point for the operations requiring end-users to switch plural options (including set values and setting modes) in a routine rotation.</p> <p>[For System Operation Function]</p>
<p>(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.</p>	<p>Supports with Limitations</p>	<p>[For System Operation Function]</p> <p>Although there is no notice to end-users of a timeout, there is a setting to adjust the timeout length so end-users have enough time to complete their task prior to the timeout. Alternately, the timeout function can be stopped if necessary. The amount of time a message is displayed can be adjusted so the user has sufficient time to read the message.</p>
<p>(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).</p> <p>k) Products which have mechanically operated controls or keys, shall comply with the following:</p>	<p>Supports with Limitations</p>	<p>The alternate method is setting machine by PC keyboard using Web page. The web page can be read out loud by reading software on PC. Also remote operation function can be used to execute regular jobs from computers.</p>
<p>k-(1) Controls and keys shall be tactilely discernible without activating the controls or keys.</p>	<p>Supports</p>	<p>[For Operation Panel]</p> <p>(1)Major keys are recognized not only with vision but also with others.</p> <p>(2)Frequent used keys are aligned to be recognized easily and different shapes and colors are used so as to be distinguished easier.</p>

		[For Input through key] (3)The upper sides of the buttons are concave.
k-(2) Controls and keys shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2 N) maximum.	Supports	*[For Whole System] (1)The force required to activate controls and keys is 22.2N or lower. (2) Controls and keys can be operated with one hand and do not require tight grasping, or twisting of the wrist.
k-(3) If key repeat is supported, the controls, an input method shall be delay before repeat shall be adjustable.	Supports	*[For Input through key, touch panel] (1)Key repeat function can set the repeat start time, or this function is may be deactivated. (2) Key repeat function can adjust the repeat start time (t1) up to 2 seconds or disable it.
k-(4) The status of all locking or toggle controls or keys shall be visually discernible, and discernable through touch or sound.	Supports with Limitations	Power Key is discernible through touch or LED.

Criteria	Supporting Features	Remarks and explanations
(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not Applicable	No biometric form of user identification is used.
(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.	Not Applicable	No auditory output will be provided.
(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.	Not Applicable	No voice output will be delivered in a public area.
(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Not Applicable	Color coding is not used without description.
(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.	Supports	Color contrast levels can be adjusted.

<p>(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.</p>	<p>Supports</p>	<p>[For Touch Panel] Applicable.</p>
---	-----------------	--

Criteria	Supporting Features	Remarks and explanations
<p>(j) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following:</p> <p>(1) The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length (see Figure 1 of this part).</p>	<p>Supports</p>	<p>Applicable</p>
<p>(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.</p>	<p>Supports</p>	<p>Applicable.</p>
<p>(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.</p>		
<p>(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.</p>		

[Return to the top of the page.](#)

Section 1194.26 Desktop and Portable Computers – Detail

VPAT™

Voluntary Product Accessibility Template®

<i>Criteria</i>	<i>Supporting Features</i>	<i>Remarks and explanations</i>
(a) All mechanically operated controls and keys shall comply with §1194.23 (k) (1) through (4).	Not Applicable	
(b) If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	Not Applicable	
(c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not Applicable	
(d) Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards	Not Applicable	

[Return to the top of the page.](#)

Section 1194.31 Functional Performance Criteria – Detail

VPAT™

Voluntary Product Accessibility Template®

<i>Criteria</i>	<i>Supporting Features</i>	<i>Remarks and explanations</i>
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.	Supports with Limitations	<p>*[For Operation Panel]</p> <p>(1) When input is determined or invalid, operation status is confirmed by a beeping sound. For operation of copy settings such as ratio or copy density, a special beeping sound at the center point such as 100% is provided to make it easier for people who are blind or visually impaired to find this value.</p> <p>*[For Input through Key and Touch Panel]</p> <p>(2) Certain time of touching for activation of key function can be adjusted up to two seconds.</p> <p>*[For Draft setting on Platen]</p> <p>(3) Setting documents on the tray can be done even without relying on vision because setting portion has a stopper.</p>

*[For Paper Setting]

(4) The tray operation can be recognized by touch, and this enables end-users to open and close tray and set paper with one hand.

(5) When it closes, the user can grasp it with the sense of touch or the sense of hearing.

(6) People who are blind or visually impaired can adjust machine settings by PC using the web page. The web page can be read out loud by read out software on PC.

*[For Automatic Document Feeder]

(7) Setting documents in the document feeder can be done without relying on vision because the document feeder has stopper guides.

Vision is not required for a user to set documents in the document feeder.

*[For Appearance]

(8) Operation area for door, etc., can be recognized by touch.

*[For System Operation]

(9) When a user presses an unauthorized key, a beeping sound should go off to prevent unintentional operation.

*[For Main Power Switch]

(10) Power On/Off status can be recognized by touch.

(11) Power Switch can be recognized by touch.

(12) Locate it away from other key so as not to be pressed mistakenly.

*[For Fax] (Option)

(13) Provide users alternative measures other than vision to know such as sound when fax receives messages.

*[For Touch Panel]

		<p>(14) Adjusting the time for key reception is possible.</p> <p>(15) Not necessary to use touch panel for setting machine, can be set with Web or with remote front operation panel.</p> <p>*[For System Operation Function]</p> <p>(16) Recovering from Auto Power shutoff mode can be done smoothly without relying on vision.</p>
Criteria	Supporting Features	Remarks and explanations
<p>(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided.</p>	<p>Supports</p>	<p>*[For Operation Panel]</p> <p>(1) Font size is expanded by Enlargement Display Mode, and Icon button size on the Home Screen can be expanded by customizing the Home Screen.</p> <p>(2) Color type of the screen can be chosen; there is a universal-design type.</p> <p>(3) The color of the Output tray is dark gray for increased contrast between paper and tray. This makes it easier to find papers on the tray.</p> <p>(4) The Color of Original guides on the Document feeder tray are dark gray. This increases the contrast between the original and the guides making adjusting the guides easier.</p> <p>(5) A Hard Keyboard (Standard) is also available in addition to the soft keyboard within the touch panel. This assists in more accurate input of text (inputting e-mail addresses, for example).</p> <p>(6) Same as (1)-(16) in the above 31(a).</p>
<p>(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided</p>	<p>Not Applicable</p>	<p>No operations require hearing.</p>
<p>(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.</p>	<p>Not Applicable</p>	<p>No audio information will be provided.</p>
<p>(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.</p>	<p>Not Applicable</p>	<p>No functions requiring user speech.</p>
<p>(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.</p>	<p>Supports</p>	<p>*[For Automatic Document Feeder]</p> <p>(1) Allows end-users to close it with one hand easily from the maximum open/close angle.</p>

		<p>(2) Door etc. can be opened/closed with one hand.</p> <p>(3) When end-user presses unauthorized key, a beeping sound should go off to prevent unintentional operation.</p> <p>(4) Adjusting the time for key reception is possible.</p> <p>*[For Whole System]</p> <p>(5) All operations can be done with one hand and do not require tight grasping, or twisting of the wrist.</p> <p>(6)The paper tray can be easily opened/closed with a universal handle.</p> <p>[For Operation Panel]</p> <p>Operation panel can be tilted freely.</p> <p>[For Program Mode]</p> <p>(8)When performing routine work, a user can set a Program which includes all the functions necessary to perform that job.</p>
--	--	---

Section 1194.41 Information, Documentation and Support – Detail

VPAT™

Voluntary Product Accessibility Template®

Criteria	Supporting Features	Remarks and explanations
(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge	Supports	Paper, PDF and HTML
(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Limited Support	HTML
(c) Support services for products shall accommodate the communication needs of end-users with disabilities.	Supports	Paper and PDF Compatible telephone support Online (HTML, PDF), Supports Screen Readers Additionally, MY Sharp which provides text, sound, and images

[Return to the top of the page.](#)

SHARP ELECTRONICS CORPORATION
 Sharp Plaza, Mahwah, NJ 07495-1163
 1-800-BE-SHARP • www.sharppusa.com

Design and Specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, My Sharp and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows, Windows NT, Windows Server, Windows Vista and Windows 7 are trademarks or registered trademarks of Microsoft Corporation. All other trademarks are the property of their respective owners.