

PRO SERIES MONOCHROME DOCUMENT SYSTEMS



Sharp's new Pro Series Monochrome Document Systems rise above the rest with elevated productivity.

PROFESSIONAL RESULTS WITH UNSURPASSED FLEXIBILITY

The MX-M1055 and MX-M1205 high performance monochrome document systems are the latest additions to the Sharp Pro Series light production lineup. Built on award-winning technology, these models add advanced workflow capabilities with EFI's latest Fiery platform that helps set the bar for the ultimate in efficiency and operation. The new Fiery Print Server MX-PE11 provides in-plants and Central Reprographics Departments (CRD) with the advanced workflow capabilities they expect. **Key Features** Large, high-resolution 15.4" color touchscreen display with swing out keyboard and touch pad streamlines operation and job management. Triple-air paper feed units combined with the Print Engine Paper Catalog (PEPC) offer a wide range of paper types to be utilized with high precision and reliability. The new powerful Fiery Print Server is available for advanced workflows and high productivity. Command WorkStation is fully integrated with the Sharp touchscreen for unmatched control and ease-of-use. The MX-M1055 and MX-M1205 also support Sharp OSA® technology, which makes integration with network applications and cloud services simple and easy. Sharp's industry-leading security platform incorporates standard 256-bit data encryption and overwrite protection to help safeguard your business's intellectual property. And when it comes time to trade in, a convenient End-of-Lease feature can erase all job data and user data. "Most Reliable Monochrome "Hiahly Recommended" Copier MFP Brand 2018-2021" Rating for MX-M1205

PRECISION ENGINEERED FOR HIGH PRODUCTIVITY



LARGE, HIGH RESOLUTION
15.4" (DIAGONALLY MEASURED)
COLOR TOUCHSCREEN
DISPLAY WITH INTEGRATED
KEYBOARD AND TOUCH PAD

TRIPLE AIR-FEED PAPER HANDLING OPTION

AVAILABLE FIERY
PRINT SERVER



Designed and built for print-on-demand environments with world class features that exceed expectations.

- Flexible modular design provides a wide variety of configurations from basic high-speed copying and printing to professional folding and booklet making.
- Scan Preview feature offers on-the-fly page editing with easy fingertip navigation.
- 250-sheet Duplex Single Pass Feeder (DSPF) scans documents at up to 200 images per minute.
- Triple air-feed paper handling option offers high reliability and is virtually maintenance-free.
- Print Engine Paper Catalog (PEPC) stores up to 1,000 media profiles to help maintain optimum print quality.
- Up to 13,500-sheet paper capacity supports media up to 110 lb. cover stock (300 gsm).
- Available 5,000-sheet paper stackers with roll-out cards can be connected in tandem for unattended operation of up to 10,000 sheets.



15.4" (diagonally measured) display with full access to Fiery Command WorkStation enables an integrated solution.


- Standard high-performance print controller with included PCL®6 and true Adobe®
 PostScript®3™.
- True 1200 x 1200 dpi printing provides beautiful images and enhanced clarity for fine details such as small text and graphics.
- Standard Job Management features make it easy to print on-demand as well as view jobs, retain jobs, combine jobs, select print settings and more.
- Supports the Sharp OSA development platform, enabling businesses to easily integrate
 with network applications and cloud services.
- Convenient **End-of-Lease feature** can erase all files on the hard disk drive, all user data, job status data and address book data at trade-in time.




ADVANCED FEATURES HELP ENSURE OPTIMUM RESULTS



Thumbnail preview with intuitive operation simplifies overall job management.



Triple air-feed LCT paper trays maximize reliability and minimize downtime. Pneumatic sensors maintain consistent air flow.



A highly-rigid frame design helps better protect and isolate critical machine components. This also ensures increased reliability and durability in order to withstand heavy use from high-speed and high-volume output.

Precise paper handling with best-in-class reliability.

Production class paper handling with Air-feed Technology

Sharp understands the importance of productivity, that's why the MX-M1055 and MX-M1205 Pro Series Monochrome Document Systems offer the new **Print Engine Paper Catalog** (PEPC), which resides on the print engine and allows up to **1,000 custom paper entries**, giving operators ultimate control when handling the specific characteristics of their preferred paper. Bringing together Sharp's exclusive triple air-feed large capacity tray option with the comprehensive paper catalog helps ensure precise paper handling and excellent print results on a wide range of media.

Intuitive Job Management

Sharp's Document Filing System provides a 1 TB hard disk drive to store frequently used files. With the **thumbnail preview mode**, **stored jobs can be located and retrieved quickly**. Easily reprint retained jobs, combine jobs, repaginate jobs, edit pages and more. For environments with critical documents, a redundant back-up hard drive is available.





With an MX-PE11 Fiery Server, the Sharp Pro Series Monochrome Document Systems become a powerful integrated solution for managing high-volume, CRDs and in-plants.

- Manage jobs and access the full functionality of Fiery Command WorkStation[®] integrated on the large Sharp touchscreen display.
- Produce documents of the highest image quality possible and inspect jobs before they print with the optional Fiery ImageViewer.
- Process large, complex VDP jobs fast to maximize throughput and utilize maximum engine capacity.





The MX-M1205 shown with Fiery Command Workstation fully integrated at the control panel. In addition, the MX-PE11 Fiery Server includes a touch pad for precise menu navigation.





Improve Productivity

Based on the latest Fiery FS200 Pro system software, the MX-PE11 Fiery Server delivers performance- boosting features that **shorten turnaround times** and produce fully finished jobs that stand out and differentiate your business.

Intuitive Centralized Print Job Management

The MX-PE11 Fiery Server utilizes Fiery Command WorkStation as a **centralized solution for print job management**. The intuitive and visual interface enables operators to monitor, prepare and troubleshoot jobs for production from multiple client computers or locally from the Sharp Pro Series touchscreen display.

Add Value with the Power of Variable Data

The MX-PE11 Fiery Server enables customers to save money by personalizing printing with the built-in, entry-level **Fiery FreeForm™** and with the supported industry-leading **variable data printing** (VDP) formats including PPML and the new PDF/VT-1 and 2 formats.

Produce Exceptional Finished Documents

The MX-PE11 Fiery Server offers optional make-ready tools to **streamline job submission**, efficiently perform a wide variety of production tasks and supports imposition of booklets with **Fiery VUE** and **Booklet Maker**. Inspect jobs in the optional Fiery ImageViewer for black and white software. Use the black curve adjustments to improve tonality and ensure high image quality.

Integration with Third Party and Other EFI Solutions

The MX-PE11 Fiery Server uses the Adobe PDF Print Engine (APPE) v3 rendering technology to offer a native end-to-end PDF workflow. The Fiery open platform also supports industry standards and seamlessly integrates with existing MIS environments, thirdparty vendors and other EFI management information systems to run the printing operation with increased efficiency.

The MX-M1055 and MX-M1205 Pro Series Monochrome Document Systems offer a choice of two high powered print servers to meet the demands of CRDs and in-plants at speeds up to 105 ppm and 120 ppm respectively.

■ High Quality Professional Output


Produce compelling black and white documents with crisp razor-sharp graphics. True 1200 x 1200 dpi resolution helps ensure all your documents will look great every time.

■ Versatile Finishing Options

Two powerful finishing systems are available – a 4,000-sheet stacking finisher with 100-sheet stapling capacity or a 4,000-sheet saddle-stitch finisher, which can produce up to 80-page professional booklets with the available face trimmer unit.

■ Multi-Folding Unit

Provides a variety of folds, including Z-fold, C-fold, Accordion-fold, Double-fold and Half-fold.





Plockmatic Production Booklet Maker System

Produces 120-page professional, square-fold spine booklets in-line at engine speed.



■ GBC® SmartPunch Pro™

Professional punching system produces up to seven commonly used punch styles for creating professional bound booklets.



-■ 5,000-Sheet Stacker

For high volume post process jobs, add the 5,000-sheet stacker with standard paper cart. Connect two stackers in tandem (as shown) for unattended output of up to 10,000 sheets.



BREAKTHROUGH PERFORMANCE AND OPERATION

Versatility

■ Optional MX-PE11 Fiery Server

Based on the latest Fiery FS200 Pro system software platform, The Fiery Server delivers performance-boosting features that shorten turnaround times.



Post Sheet Inserter

Produce professional looking documents with pre-printed covers and chapter inserts with the available post sheet inserter.

Integrated Network Scanning

Sharp's ImageSEND™ feature provides one-touch document distribution. Scans to multiple destinations, including Email, FTP, Network Folder (SMB and Home Directory) and USB.

Duplexing Single Pass Feeder (DSPF)

Standard 250-sheet dual head document feeder scans both sides of a document in a single pass at up to 200 images per minute (IPM). This system helps maximize both efficiency and reliability.

■ 15.4" Touchscreen (diagonally measured)

A large, high resolution touchscreen with tablet-style navigation makes it easy to access features. You can also add shortcut keys to popular features, change the key layout or add a custom background theme.

- 500-Sheet **Multi-Bypass**

Feeds paper sizes from 5-1/2" x 8-1/2" to 12" x 18".



Construction

Offers increased durability and reliability to withstand heavy use.

■ Convenient Job Management

1TB hard disk drive provides on-board document storage. An intuitive thumbnail view makes it easy to select, edit, reprint, repaginate and more.

■ Handling

Sharp's advanced 5,000-sheet large capacity paper tray option utilizes triple air-feed technology, which directs air flow with precision accuracy for proper paper handling and enhanced media support up to 300 gsm. Two large capacity trays can be connected in tandem (as shown).

Independent Motors

Insulated independent motors run quieter and provide higher reliability.

■ 3,000-Sheet Standard Paper Capacity

Includes 2,000-sheet letter size tandem tray and two 500-sheet letter/legal/ ledger size trays. Add optional paper handling accessories for a maximum on-line paper capacity of 13,500 sheets.

CONFIGURATIONS TO SUIT VIRTUALLY ANY ENVIRONMENT

Versatile and Customizable To Fit Your Needs

The MX-M1055/M1205 Pro Series Monochrome Document Systems offer flexible paper handling and finishing options to accommodate any size in-plant or on-demand workflow environment.*



MX-M1205 shown with 3,500-sheet large capacity cassette, 100-sheet Staple/Saddle Finisher and 100-sheet bypass tray.



MX-M1205 shown with Curl Correction Unit, Inserter, Multi-Folding Unit, GBC SmartPunch Pro, 100-sheet Staple/Saddle Stitch Finisher, dual 5,000-sheet large capacity trays, dual 5,000-sheet paper stackers, 500-sheet multi-bypass tray and status indicator.

Modular Options Make It Easy To Build the System of Your Choice

Options for the MX-M1055/M1205 enable businesses to choose from several high performance finishing systems that offer up to 100-sheet stapling, professional saddle stitch booklet making and three-hole punching. More advanced configurations include a square-fold spine Booklet Making System, a professional punching system, high capacity paper stackers, a two-tray inserter, a multi-folding unit and a trimmer unit.



Inserter Unit



3,500-Sheet Letter LCC

100-Sheet



3,000-Sheet Ledger LCC



Plockmatic 120-page **Production Booklet Maker System**



100-Sheet Staple Saddle Finisher



100-Sheet Staple Stacking Finisher

500-Sheet Multi-Bypass




GRC Smart Punch Pro™



5,000-Sheet Paper Stacker



5,000-Sheet LCT Air-Feed



Streamline your document workflow and enhance productivity with Sharp OSA technology.

Integrating with Network Applications and Cloud Services Has Never Been So Easy

With standard Application Communication and External Accounting modules, the MX-M1055/M1205 Pro Series Monochrome Document Systems offer **powerful document workflow capabilities** to help businesses leverage their network infrastructure, cloud-enabled services and more.* While others are limited to a small circle of productivity, the Sharp OSA development platform allows businesses to leverage the power of their network applications, back-end systems, even cloud-enabled services, right from the touchscreen panel of this new series.

Save Time, Increase Efficiency

You'll save time and increase the efficiency of everyday tasks with Sharp OSA technology because it can be virtually seamless to the user. Any MX-M1055/M1205 anywhere in the organization can display choices that were once only available on a desktop PC. With **one-touch access** to business applications via Sharp OSA integration, you can start and finish a document distribution task without worry.

Customized Integration

Sharp OSA technology also provides **powerful customization**. With the ability to personalize applications and processes specific to your business, Sharp OSA technology can help eliminate redundancy and **streamline workflow**, helping to save time and **optimize productivity**. The latest version of Sharp OSA technology can reach beyond the firewall, enabling cloud-based applications over the Internet. And since Sharp OSA technology utilizes industry-standard programming languages and web APIs, third party software developers can deliver customized solutions to your business faster than ever.

Connect with Cloud Portal Office and collaborate more easily

Cloud Portal Office is a comprehensive document storage and sharing service that provides a convenient way to **seamlessly connect to your business content** and easily **share and collaborate** with team members. You can also capture, index and archive both paper and electronic documents in a single repository. Most importantly, IT administrators can **manage and control user access** to in order to safeguard company data.

ADVANCED DEVICE MANAGEMENT TOOLS MAXIMIZE EFFICIENCY

The MX-M1055/M1205 Pro Series Monochrome Document Systems enhance operational efficiency through versatile device management.

Sharp Device Management Suite

Sharp's suite of intelligent tools deliver unparalleled control over the administration of Sharp MFPs. All MFPs and printers in your network can be managed and monitored effortlessly to maximize uptime and ensure the flow of important business communications.

Sharp Remote Device Manager (SRDM)

With **SRDM**, administrators can easily view detailed information on each device such as consumable levels, network connectivity and click counts. Advanced features such as **Remote Front Panel** allow administrators and support personnel to view and control the LCD panel of the machine remotely from any PC on the network. Plus, with event-driven service alerts, administrators and supervisors can achieve higher productivity. Now it is easier than ever to monitor the status of MFPs.

Printer Status Monitor

Sharp's Printer Status Monitor makes it easy for an end user to view printer conditions, check paper and toner levels, and more all through a simple interface.

Embedded Web Page

Experience the convenience of Sharp's Embedded Web Page right from your desktop. This advanced web-based management tool allows users to create and manage their own network scanning destinations, profiles and web-links. Administrators can access device settings, account information and security settings.

Take Charge of Usage and Costs

Through Sharp's **Embedded Web Page**, administrators and supervisors can define User Groups on the MX-M1055/M1205 to manage and restrict features such as copying, printing, and scanning. Custom user groups can be easily created to manage page counts. This helps to simplify cost management of imaging. The MX-M1055/M1205 can store profiles for up to 1,000 users.

24/7 Training with My Sharp™

Managing all of the advanced features of your Sharp product is simple and easy. Ask your Authorized Sharp Dealer about the **My Sharp** website. This dedicated customer training website is customized to your MX-M10 to



customer training website is customized to your MX-M1055/M1205 and allows you to locate resources and find information specific to your configuration, truly helping you maximize your investment.



Remote Front Panel

^{*} Some features require optional equipment.

SAFEGUARD YOUR INTELLECTUAL PROPERTY

PRIVACY

AUTHORIZATION

CONFIDENTIALITY

PROTECTION



Sharp's Standard Key Security Features at a Glance

- 256-Bit Data Encryption
- Up to 7 times Data Overwrite Protection
- Group Account Management for up to 1,000 Users
- · Confidential Printing
- Port Management
- IP/MAC Address Filtering

Innovative document and device protection helps ensure confidentiality.

To help protect your data, the MX-M1055/M1205 offers several layers of **Standard Security**, making Sharp the optimum choice to help protect employees' privacy and intellectual property. As a leader in office equipment security, Sharp makes it easy for virtually any business or government entity to safely deploy digital copying, printing and scanning.

a Data Encryption and Overwrite

To help protect your data, the MX-M1055/M1205 can encrypt document data using AES (Advanced Encryption Standard) **256-bit encryption**. The MX-M1055/M1205 can also erase the temporary memory on the hard drive by overwriting the encrypted data up to seven times, offering an unprecedented level of assurance. A convenient **End-of-Lease feature** overwrites all data, including the Document Filing area, user data, job status data and address book.

Network Scanning Access Control

To help protect your network from unauthorized Email communications, the MX-M1055/M1205 supports **User Authentication**, requiring users to login before performing any network scanning operations.

Authority Groups

Advanced **Account Management** enables administrators to set authority groups for access to features of the MX-M1055/M1205. Administrators can control which department, for instance, has full access to copying, printing and/or scanning. Walk-up users enter a code, Local Name and Password, or LDAP User Authentication to access the features assigned to their group.

Control Device Access Over the Network

To help restrict access to the device over the network, the MX-M1055/M1205 offers IPsec, SMB and extended support for **TLS Encryption** (Transport Layer Security), **IP/MAC** address filtering, IEEE 802.1x authentication, protocol enable/disable and port management for maximum security.

Documents Remain Confidential

The MX-M1055/M1205 offers **Confidential Printing**, which when used, requires users to enter a PIN code in order to print a queued document. To help protect your direct-print documents from unauthorized viewing, the MX-M1055/M1205 offers encrypted PDF printing and scanning.

Tracking and Auditing Information

Legislation and industry policies require companies to be more aware of information flow from their offices. Sharp offers both built-in and additional hardware/software which allows users to **control**, **access** and **track usage** of each device on the network.

Data Security Kit (Optional)

For maximum protection, the optional data security kit offers additional features, such as **Data Overwrite on-demand** and at power up, Document Filing access control, **Incorrect Password Lockout** and Restricted Status Display and Restricted List printing.

These scalable security offerings aim to protect your intellectual property, preserve confidential information and help your business to meet regulatory requirements, such as the Health Insurance Portability and Accountability Act (HIPAA) and the Gramm-Leach-Billey Act (GLB). For additional information visit: www.sharpusa.com/security.





COMMITTED TO HELPING PROTECT THE ENVIRONMENT











Advanced Energy Saving Features

The MX-M1055/M1205 utilizes several energy efficient technologies to minimize power consumption and maximize energy savings.

- An LED exposure lamp reduces power significantly when compared to conventional exposure lamps.
- A customizable seven-day power management scheduler allows businesses to define the days and times when power will be turned on and turned off.
- Sharp's Auto Power Management function allows the device to be set to shut off automatically based on usage trends.
- Sharp's Eco-Scan mode can shut off the fuser when scanning documents, previewing images and other operations.



Sharp's environmental initiatives and dedication to developing energy efficient document systems set a high standard for the industry.

An Environmentally Responsible Approach to Product Design

The MX-M1055/M1205 Pro Series Monochrome Document Systems utilize Sharp's advanced micro-fine toner technology, which offers a lower consumption rate and produces less waste than conventional toners, resulting in longer replacement intervals. Sharp supplies are packaged using fully recyclable materials. Long-life consumable parts help minimize service intervals and downtime, resulting in lower operating costs. With two different energy saving modes, power can be reduced or shut off at set intervals. All Sharp document systems are ENERGY STAR® qualified and RoHS compliant to restrict the use of hazardous substances.

Toner Recycling Program

As part of our commitment to helping preserve the environment, Sharp offers our customers zero-waste-to-landfill recycling for all Sharp consumables, including cartridges, bottles, toner collection containers and drum units. Sharp encourages customers to recycle their used Sharp toner cartridges in bulk by providing a pre-paid Recycling Kit for their return to our facility.

Environmental Leadership

As a testament to our commitment to the environment, Sharp is a multi-year winner of the **ENERGY STAR** annual **Excellence in Energy Proficiency Product Design**. Sharp is also a multi-year winner of the **SmartWay**sm **Excellence Award**, which recognizes companies for conserving energy and lowering greenhouse gas emissions in logistics and transportation. Sharp was also a previous recipient of the *Excellence in Partnership* **Green Contractor Award** and the **Evergreen Award** from the General Services Administration (GSA) and the Coalition for Government Procurement. These awards recognize environmentally responsible businesses and their efforts on recycling, waste reduction and affirmative procurement practices.

Global Initiatives

Sharp is committed to environmental sustainability and corporate responsibility including planning, design, manufacturing, distribution and product end-of-life management. For more information about Sharp's environmental leadership including information about energy efficient products, electronics or toner cartridge recycling, please visit www.sharpusa.com/environment.

MX-M1055/M1205 SPECIFICATIONS

MX-M1055/M1205	Base models include LCD, 250-sheet DSPF, 3,000-sheet paper
	capacity, 1 TB hard disk drive, PCL6®/Adobe® PostScript® 3™
	networkprinting, color network scanning, web browser, swing
	out keyboard, application communication module and external
Toma	accounting module
Type	Console, Monochrome multi-function digital document system
Display	15.4" (diagonally measured) color dot matrix high-resolution
Functions	touch panel tilting display. 1280 x 800 dots (WXGA) Copy, print, network print, network scan and document filing 1
Copy System	Dry electrostatic transfer/Dual component developer/Magnetic
Originals	brush development/OPC/white LED exposure/heat roller fusing Sheets and bound documents
Max Original Size	11" x 17"
Copy Size	Min. 5½" x 8½", Max. 11" x 17" + 12" x 18"
Copy Speed	105/120 ppm (8½" x 11")
Multiple Copy	Max. 9999 copies
First Copy Time	MX-M1055 MX-M1205
(in Seconds) ²	Platen Glass 3.2 3.2
	DSPF 5.5 5.5
Warm Up Time	210 seconds ²
Magnification	25% to 400% in 1% increments (with document feeder 25%-200%)
Original Feed	250-sheet DSPF DSPE Scan: Up to 200 IPM2 (Manachroma or Color)
Scan Speed	DSPF Scan: Up to 200 IPM2 (Monochrome or Color) 514" v 814" v 11" 814" v 11" R 814" v 14" 11" v 17"
Original Sizes Paper Capacity	5½" x 8½", 8½" x 11", 8½" x 11" R, 8½" x 14", 11" x 17" Std. 3,000 Sheets/Max. 13,500 Sheets
Paper Feed	Standard: Tandem Tray 1 - 1200 sheets (letter size), Tandem
Sizes	Tray 2 - 800 sheets (letter size), Trays 3/4 - 500 sheets ea.
	(letter/legal/ledger/statement/12" x 18"). Optional: Multi-bypass
	Tray (for machine) - 100 sheets (letter/legal/ ledger/statement/
	12" x 18"), Multi-bypass (for LCT) - 500 sheets (letter/legal/
	ledger/statement/12" x 18"), LCT (2-Drawer) - 2,500-sheets
	each drawer (letter/legal/ledger/12" x 18"), Letter LCC - 3,500
	sheets (letter).
Paper Weights	Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb
and Types	bristol, Multi-bypass Tray (for machine) -15 lb. bond to 110 lb.
	cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol
	LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC - 16 lb.
	bond to 110 cover2. Supported paper types include thin, plain,
	recycled, color, letter head, pre-printed and pre-punched,
	embossed and glossy.
Duplexing	Standard automatic duplex copying and printing
CPU	Up to 1.8 GHz Multi-Processor Controller
Interface	RJ-45 Ethernet (10/100/1,000 Base-T), USB 2.0 (2 host ports,
	front and rear), USB 2.0 (1 device port)
Memory	Standard 5 GB 1 TB
Hard Disk Drive	
Copy Resolution	Scan: 1200 x 1200 dpi / 600 x 600 dpi
Copy Modes Exposure Control	Monochrome/Grayscale Modes: Text, Text/Printed-Photo, Printed-Photo, Text Photo,
EVHOSHIE COHING	Photo, Map, Pale-Color. Settings: Auto or 9 step manual
Halftone	256 gradations/2 levels (monochrome)
Copy Features	Electronic sort, Auto Paper Selection (APS), Auto Magnification
copy reatures	Selection (AMS), image preview/edit, auto tray, paper type selection
	switching, rotate copy, reserve copy, tandem copy, book copy,
	margin shift, edge/center erase, book divide, dual page, cover/inser
	page, OHP insert, job build, card shot, blank page skip, mirror/B/W
	reverse, proof, pamphlet, watermark, custom image, job programs.
Account Control	Up to 1,000 users. Supports user-number authentication (on
	device), login name/password or login name/password (via LDAF
	server) for Copy, Print, Scan and document management.
	ty Main output tray (top) 250 sheets (face down)
Firmware	Flash ROM with local (USB), network update capability and firmware
Management	update 1 to N with SRDM (Sharp Remote Device Management)
Configuration	Web-based management with user/administrator level login, cloning
	(1 to N) with SRDM and remote front panel access
Method	
Method Service/Functions	Remote front panel, remote access to service logs and click counts
Method Service/Functions Accessibility	Remote front panel, remote access to service logs and click counts Tilt Front Panel, Adjustment of Key Touch, Document Feeder Free
Method Service/Functions Accessibility	Remote front panel, remote access to service logs and click counts Tilt Front Panel, Adjustment of Key Touch, Document Feeder Free Stop, Job Programs, Remote Front Panel, Universal Grip for
Method Service/Functions Accessibility Features	Remote front panel, remote access to service logs and click counts Tilt Front Panel, Adjustment of Key Touch, Document Feeder Free Stop, Job Programs, Remote Front Panel, Universal Grip for Paper Trays, and Disable Screen Timeout
Method Service/Functions Accessibility Features Environmental	Remote front panel, remote access to service logs and click counts Tilt Front Panel, Adjustment of Key Touch, Document Feeder Free Stop, Job Programs, Remote Front Panel, Universal Grip for Paper Trays, and Disable Screen Timeout International ENERGY STAR Program Ver. 2.0, Law on Promoting Greer
Method Service/Functions Accessibility Features Environmental Standards	Remote front panel, remote access to service logs and click counts Tilt Front Panel, Adjustment of Key Touch, Document Feeder Free Stop, Job Programs, Remote Front Panel, Universal Grip for Paper Trays, and Disable Screen Timeout International ENERGY STAR Program Ver. 2.0, Law on Promoting Greer Purchasing. European RoHS (Restriction of Hazardous Substances)
Method Service/Functions Accessibility Features Environmental Standards Power Source	Remote front panel, remote access to service logs and click counts Tilt Front Panel, Adjustment of Key Touch, Document Feeder Free Stop, Job Programs, Remote Front Panel, Universal Grip for Paper Trays, and Disable Screen Timeout International ENERGY STAR Program Ver. 2.0, Law on Promoting Greer Purchasing. European RoHS (Restriction of Hazardous Substances) AC 208-240 VAC, 60 HZ, 15 Amps
Method Service/Functions Accessibility Features Environmental Standards Power Source Power Consumption	Remote front panel, remote access to service logs and click counts Tilt Front Panel, Adjustment of Key Touch, Document Feeder Free Stop, Job Programs, Remote Front Panel, Universal Grip for Paper Trays, and Disable Screen Timeout International ENERGY STAR Program Ver. 2.0, Law on Promoting Greer Purchasing. European RoHS (Restriction of Hazardous Substances) AC 208-240 VAC, 60 HZ, 15 Amps Maximum: 3.5 kW or less
Method Service/Functions Accessibility Features Environmental Standards Power Source	Remote front panel, remote access to service logs and click counts Tilt Front Panel, Adjustment of Key Touch, Document Feeder Free Stop, Job Programs, Remote Front Panel, Universal Grip for Paper Trays, and Disable Screen Timeout International ENERGY STAR Program Ver. 2.0, Law on Promoting Greer Purchasing. European RoHS (Restriction of Hazardous Substances) AC 208-240 VAC, 60 HZ, 15 Amps

	System (Standard)	4K 100-She
PDL	PCL6 compatible, True Adobe, PostScript 3, optional XPS	Туре
Resolution	1200 x 1200 dpi	Output Trays
Print Speed	105/120 pages per minute (8½" x 11")	
Print Drivers	Windows® Server® 2008-2012, Windows Server 2008-2012 x64,	
	Windows 7, Windows 7 x64, Windows 8, Windows 8 x64,	Stapling Cap
	Windows 8.1, Windows 8.1 x64, Windows 10, Windows 10 x64,	Stapling Me
	MAC OSX (including 10.4-10.11)	Stapling Pos
Features	Auto configuration, continuous printing, electronic sorting,	Hole Punchi
	N-up printing, duplex printing, transparency inserts, margin	Power Source
	shift, image rotation, different cover page, poster print, job	Power Consu
	bypass print, job retention, confidential print, proof print,	Weight
	user authentication, image stamp and watermarks. Additional	Dimensions
	features: Multiple pamphlet print, network tandem print, carbon	
	copy print mode, different cover page/last page/other page,	4K 100-She
	form overlay, tab paper settings, tab printing, chapter inserts	Туре
	and page Interleave ¹	Output Trays
Direct Printing	File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF,	output may
Directifining	Compressed PDF/A1, PostScript and Windows XPS¹.	
	Methods: FTP, Web page, Email, Network Folder and USB	Stanling Car
Resident Fonts		Stapling Cap
	80 outline fonts (PCL), 139 fonts (PS)	Stapling Me
Interface	RJ-45 Ethernet 10/100/1,000 Base-T, USB 2.0	Stapling Pos
Operating	Windows Server 2008-2012, Windows 7,	Saddle Stite
Systems	Windows 8/8.1, Windows 10, MAC OS X (10.4-10.11), Unix®,	Saddle Stitc
Note: de	Linux®, and Citrix® XenApp	Max. Sets
Network	TCP/IP (IPv4, IPv6, IPSEC) SSL (HTTP, IPP, FTP), SNMPv3, SMTP,	Hole Punchii
Protocols	POP3, LDAP, 802.1x for Windows and Unix. LPD and LPR	Power Source
	for Unix. IPX/SPX® for Novell environments and EtherTalk®.	Power
	AppleTalk® for Macintosh® environments.1	Consumption
Printing Protocols	LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP and Novell	Weight
	Pserver/Rprinter	Dimensions
Network Security	IP/MAC address filtering, protocol filtering, port management,	
	user authentication and document administration.1	Optional Equ
Security Standards	IEEE-2600TM-2008, DoD (NSTISSP) #11, DoD Directive 8500.2,	MX-CF11
	DoD (DISA)	MX-FD10
		MX-LC12
Network Scanning	System (Standard)	MX-LC13N
Scan Modes	Standard: Color, monochrome, grayscale	MX-MFX1
Max. Original Size	11" x 17"	MX-MF11
Optical Resolution	600 dpi	MX-FN21
Output Modes	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi	MX-FN22
Image Formats	Monochrome: TIFF, PDF, Encrypted PDF, XPS, PDF/A	MX-ST10
	Color/Grayscale: Color TIFF, JPEG, PDF, Encrypted PDF1,	MX-CA10
	PDF/A¹, Compressed PDF¹, XPS¹	MX-CF11
Image	Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR)	MX-FD10
Compression	Color/Grayscale: JPEG (high, middle, low)	MX-RB16
Scan Destinations	Email, Desktop, FTP, Folder, (SMB), USB	MX-RB17
One-touch	Up to 2,000 (combined scan destinations)	MX-RB17
	op to 2,000 (combined scar destinations)	MX-RB13
Destinations	Un to FOO	
Group	Up to 500	MX-TM10
Destinations	10 (11 1)	MX-PN13B
Programs	48 (combined)	MX-SCX1
Max. Jobs	Up to 100	MX-SCX2
Network Protocols	TCP/IP and TLS (includes HTTP, SMTP, LDAP, FTP, POP3), SMB,	MX-SL10N
	ESMTP and 802.1x.	AR-SU1
Network Security		
Network Security	Email server user authentication for LDAP and	AR-SV1
Network Security	Email server user authentication for LDAP and Active Directory	
Sharp OSA		AR-SV1
Sharp OSA	Active Directory Application Communication Module (MX-AMX2) and External	AR-SV1 MX-PF10
	Active Directory	AR-SV1 MX-PF10 MX-PUX1
Sharp OSA Platform	Active Directory Application Communication Module (MX-AMX2) and External Accounting Module (MX-AMX3) standard	AR-SV1 MX-PF10 MX-PUX1 MX-PE11 MX-PX11
Sharp OSA Platform MX-PE11 Fiery Ser	Active Directory Application Communication Module (MX-AMX2) and External Accounting Module (MX-AMX3) standard ver	AR-SV1 MX-PF10 MX-PUX1 MX-PE11 MX-PX11 MX-EB11
Sharp OSA Platform MX-PE11 Fiery Ser Server	Active Directory Application Communication Module (MX-AMX2) and External Accounting Module (MX-AMX3) standard ver Type External Server	AR-SV1 MX-PF10 MX-PUX1 MX-PE11 MX-PX11 MX-EB11 MX-EB15
Sharp OSA Platform MX-PE11 Fiery Ser Server System Software	Active Directory Application Communication Module (MX-AMX2) and External Accounting Module (MX-AMX3) standard ver Type External Server Fiery FS200 Pro	AR-SV1 MX-PF10 MX-PUX1 MX-PE11 MX-PX11 MX-EB11
Sharp OSA Platform MX-PE11 Fiery Ser Server System Software CPU Type	Active Directory Application Communication Module (MX-AMX2) and External Accounting Module (MX-AMX3) standard ver Type External Server Fiery FS200 Pro Intel® Pentium® Processor G1820	AR-SV1 MX-PF10 MX-PUX1 MX-PE11 MX-PX11 MX-EB11 MX-EB15 MX-FR53U
Sharp OSA Platform MX-PE11 Fiery Ser Server System Software CPU Type CPU Speed	Active Directory Application Communication Module (MX-AMX2) and External Accounting Module (MX-AMX3) standard ver Type External Server Fiery FS200 Pro Intel® Pentium® Processor G1820 2.7 GHz	AR-SV1 MX-PF10 MX-PUX1 MX-PE11 MX-PX11 MX-EB11 MX-EB15 MX-FR53U Supplies
Sharp OSA Platform MX-PE11 Fiery Ser Server System Software CPU Type CPU Speed Memory	Active Directory Application Communication Module (MX-AMX2) and External Accounting Module (MX-AMX3) standard ver Type External Server Fiery FS200 Pro Intel® Pentium® Processor G1820 2.7 GHz 4 GB RAM	AR-SV1 MX-PF10 MX-PUX1 MX-PE11 MX-PX11 MX-EB11 MX-FR53U Supplies MX-900NT
Sharp OSA Platform MX-PE11 Fiery Ser Server System Software CPU Type CPU Speed Memory Hard Disk Drive	Active Directory Application Communication Module (MX-AMX2) and External Accounting Module (MX-AMX3) standard ver Type External Server Fiery FS200 Pro Intel® Pentium® Processor G1820 2.7 GHz 4 GB RAM 500 GB	AR-SV1 MX-PF10 MX-PUX1 MX-PE11 MX-PX11 MX-EB15 MX-FR53U Supplies MX-900NT MX-900NV
Sharp OSA Platform MX-PE11 Fiery Ser Server System Software CPU Type CPU Speed Memory Hard Disk Drive Operating System	Active Directory Application Communication Module (MX-AMX2) and External Accounting Module (MX-AMX3) standard ver Type External Server Fiery FS200 Pro Intel® Pentium® Processor G1820 2.7 GHz 4 GB RAM 500 GB Windows® Embedded 8.1 Pro	AR-SV1 MX-PF10 MX-PUX1 MX-PE11 MX-PE11 MX-EB11 MX-EB15 MX-FR53U Supplies MX-900NT MX-900NV MX-850NR
Sharp OSA Platform MX-PE11 Fiery Ser Server System Software CPU Type CPU Speed Memory Hard Disk Drive Operating System Network Conn.	Active Directory Application Communication Module (MX-AMX2) and External Accounting Module (MX-AMX3) standard ver Type External Server Fiery FS200 Pro Intel® Pentium® Processor G1820 2.7 GHz 4 GB RAM 500 GB Windows® Embedded 8.1 Pro RJ45 10/100/1000 Base-T	AR-SV1 MX-PF10 MX-PUX1 MX-PE11 MX-PX11 MX-EB15 MX-FR53U Supplies MX-900NT MX-900NV
Sharp OSA Platform MX-PE11 Fiery Ser Server System Software CPU Type CPU Speed Memory Hard Disk Drive Operating System Network Conn. Power Source	Active Directory Application Communication Module (MX-AMX2) and External Accounting Module (MX-AMX3) standard ver Type External Server Filery FS200 Pro Intel® Pentium® Processor G1820 2.7 GHz 4 GB RAM 500 GB Windows® Embedded 8.1 Pro RJ45 10/100/1000 Base-T 100-240 VAC, 50/60 Hz, 3A	AR-SV1 MX-PF10 MX-PUX1 MX-PE11 MX-PE11 MX-EB11 MX-EB15 MX-FR53U Supplies MX-900NT MX-900NV MX-850NR
Sharp OSA Platform MX-PE11 Fiery Ser Server System Software CPU Type CPU Speed Memory Hard Disk Drive Operating System Network Conn. Power Source Power	Active Directory Application Communication Module (MX-AMX2) and External Accounting Module (MX-AMX3) standard ver Type External Server Fiery FS200 Pro Intel® Pentium® Processor G1820 2.7 GHz 4 GB RAM 500 GB Windows® Embedded 8.1 Pro RJ45 10/100/1000 Base-T	AR-SV1 MX-PF10 MX-PUX1 MX-PE11 MX-PE11 MX-EB11 MX-EB15 MX-FR53U Supplies MX-900NT MX-900NV MX-850NR
Sharp OSA Platform MX-PE11 Fiery Ser Server System Software CPU Type CPU Speed Memory Hard Disk Drive Operating System Network Conn. Power Source Power Consumption	Active Directory Application Communication Module (MX-AMX2) and External Accounting Module (MX-AMX3) standard ver Type External Server Fiery FS200 Pro Intel® Pentium® Processor G1820 2.7 GHz 4 GB RAM 500 GB Windows® Embedded 8.1 Pro RJ45 10/100/1000 Base-T 100-240 VAC, 50/60 Hz, 3A Typical: 75w/Maximum: 180w	AR-SV1 MX-PF10 MX-PF11 MX-PE11 MX-PS11 MX-EB15 MX-FR53U Supplies MX-900NT MX-900NV MX-950NR MX-850HB
Sharp OSA Platform MX-PE11 Fiery Ser Server System Software CPU Type CPU Speed Memory Hard Disk Drive Operating System Network Conn. Power Source Power Consumption Dimensions	Active Directory Application Communication Module (MX-AMX2) and External Accounting Module (MX-AMX3) standard ver Type External Server Fiery FS200 Pro Intel® Pentium® Processor G1820 2.7 GHz 4 GB RAM 500 GB Windows® Embedded 8.1 Pro RJ45 10/100/1000 Base-T 100-240 VAC, 50/60 Hz, 3A Typical: 75w/Maximum: 180w Approx. 5½" (w) x 15½" (d) x 12½" (h)	AR-SV1 MX-PF10 MX-PUX1 MX-PE11 MX-PE11 MX-EB11 MX-EB15 MX-FR53U Supplies MX-900NT MX-900NV MX-850NR
Sharp OSA Platform MX-PE11 Fiery Ser Server System Software CPU Type CPU Speed Memory Hard Disk Drive Operating System Network Conn. Power Source Power Consumption	Active Directory Application Communication Module (MX-AMX2) and External Accounting Module (MX-AMX3) standard ver Type External Server Fiery FS200 Pro Intel® Pentium® Processor G1820 2.7 GHz 4 GB RAM 500 GB Windows® Embedded 8.1 Pro RJ45 10/100/1000 Base-T 100-240 VAC, 50/60 Hz, 3A Typical: 75w/Maximum: 180w	AR-SV1 MX-PF10 MX-PP10 MX-PUX1 MX-PE11 MX-EB11 MX-EB15 MX-FR53U Supplies MX-900NT MX-900NV MX-950NR MX-950NB

Upper tray: Moving offset tray (up to 1,500 letter size sheets) Middle tray: 250 sheets (letter size, non-stapled) Lower tray: Moving offset tray (up to 2,500 letter size sheets) Up to 100 sheets (letter/statement)
Lower tray: Moving offset tray (up to 2,500 letter size sheets) Up to 100 sheets (letter/statement)
Up to 100 sheets (letter/statement)
Distriction of the description o
Plain paper, letter/legal/ledger size or mixed
1 front, 1 rear, or 2 point stitching
Optional three-hole punch unit MX-PN13B
120 VAC, 60 HZ, 15 Amps
200w/350w with MX-FD10

Approx.: 351/4" (w) x 30" (d) x 41" (h) (with tray extended)

4K 100-Sheet Stapler/Saddle Stitch Finisher (MX-FN22: option)	
Туре	4,000-sheet console stapler finisher (100-sheet stapling)
Output Trays	Upper tray: Moving offset tray (up to 1,500 letter size sheets)
	Middle tray: 250 sheets (letter size, non-stapled)
	Lower tray: Moving offset tray (up to 2,500 letter size sheets)

Approx.: 134.5 lbs.

	wilddie tray: 250 Stieets (letter size, floti-stapled)
	Lower tray: Moving offset tray (up to 2,500 letter size sheets)
Stapling Capacity	Up to 100 sheets (letter/statement)
Stapling Media	Plain paper, letter/legal/ledger size or mixed
Stapling Positions	1 front, 1 rear, or 2 point stitching
Saddle Stitch	Center stitch/center fold (2 staples) letter/legal/ledger paper sizes
Saddle Stitch	Up to 5 sets (16-20 sheets)/10 sets (11-15 sheets per set)/15 set
Max. Sets	(6-10 sheets per set)/25 sets (1-5 sheets per set)
Hole Punching	Optional three-hole punch unit MX-PN13B
Power Source	120 VAC, 60 HZ, 15 Amps
Power	200w/350w with MX-FD10
Consumption	
Weight	Approx. 134.5 lbs.
Dimensions	Approx. 351/4" (w) x 30" (d) x 41"; (h) (with tray extended)

Optional Equipm	nent
MX-CF11	Inserter
MX-FD10	Multi-Folding Unit
MX-LC12	3,500-sheet Large Capacity Cassette (letter) ¹
MX-LC13N	5,000-sheet Large Capacity 2-Drawer Air Feed Tray (ledger)1
MX-MFX1	100-sheet Multi-bypass Tray (for machine)
MX-MF11	500-sheet Multi-bypass Tray (for MX-LC13)
MX-FN21	4K Stacking 100-Sheet Staple Finisher ¹
MX-FN22	4K Stacking 100-Sheet Staple/Saddle Stitch Finisher ¹
MX-ST10	5,000-Sheet Stacker (includes one paper cart)
MX-CA10	Paper Cart (additional)
MX-CF11	2-Tray Inserter Unit ¹
MX-FD10	Multi-folding Unit ¹
MX-RB16	Large capacity Tray mounting kit
MX-RB17	Large Capacity Tray tandem connecting kit
MX-RB18	Curl Correction Unit ¹
MX-RB13	Relay Unit
MX-TM10	Trimmer Unit ¹
MX-PN13B	3-Hole Punch Unit (for MX-FN21/FN22)
MX-SCX1	Staple Cartridge (for MX-FN22)
MX-SCX2	Staple Cartridge (for MX-FN21/FN22)
MX-SL10N	Status Indicator
AR-SU1	Stamp Unit (requires AR-SV1 Stamp Cartridge)
AR-SV1	Stamp Cartridge (required for AR-SU1)
MX-PF10	Bar Code Font Kit
MX-PUX1	XPS Expansion Kit
MX-PE11	Fiery Print Server
MX-PX11	Fiery Interface Kit
MX-EB11	Enhanced Compression Kit
MX-EB15	HDD Mirroring Expansion Kit
MX-FR53U	Commercial Data Security Kit (not available at time of launch)

Supplies	
MX-900NT	Toner Cartridge
MX-900NV	Developer
MX-850NR	Drum
MX-850HB	Waste Toner Bottle

- ¹ Some features require optional equipment. See your local dealer.
- ² Specification may vary depending on product configuration, machine settings and operating conditions.

















Approx. 45" (w) x 30½" (d) x 60¼" (h)

SHARP ELECTRONICS CORPORATION 100 Paragon Drive, Montvale, NJ 07645 1-800-BE-SHARP • www.sharpusa.com

Design and specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, My Sharp, and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows and Windows Server are trademarks or registered trademarks of Microsoft Corporation. Adobe, PostScript 3 are trademarks or registered trademarks of Adobe Systems Inc. EFI, Fiery, Electronics For Imaging, the Fiery logo, the EFI logo, FreeForm, Spot-On, WebTools and Command WorkStation are trademarks or $registered\ trademarks\ of\ Electronics\ For\ Imaging,\ Inc.\ BLI\ Reliability\ award\ based\ on\ devices\ tested\ from\ January$ 2012 through May 2018. All other trademarks are the property of their respective owner.